ELSEVIER

Neuroscience Letters 257 (1998) 174–175

Neuroscience Letters

Contents to Volume 257

Volume 257, no. 1

Guidelines for the submission of manuscripts v

Recovery of high potassium-evoked dopamine release after depolarization challenge in the striatum of young and old male rats
H.-A. Shui, Y.-I. Peng, Y.-F. Tsai (Taiwan) 1

Activity of tachykinin NK_1 and bradykinin B_2 receptor antagonists, and an opioid ligand at different stimulation parameters in neurogenic inflammation in the rat
P.K. Towler, S.D. Brain (UK) 5

The onset of diffuse noxious inhibitory controls in postnatal rat pups: a C-Fos study
T. Boucher, E. Jennings, M. Fitzgerald (UK) 9

Anticonvulsant effects of melatonin in amygdala-kindled rats
M. Mevissen, U. Ebert (Germany) 13

1-Trichloromethyl-1,2,3,4-tetrahydro-β-carboline increases extracellular serotonin and stimulates hydroxyl radical production in rats
M. Gerlach, A.-Y. Xiao, C. Heim, J. Lan, R. God, D. Feineis, G. Bringmann, P. Riederer, K.-H. Sontag (Germany) 17

Relationship between neuronal activity and substance P-immunoreactivity in the rat spinal cord during acute and persistent myositis
U. Hoheisel, A. Kaske, S. Mense (Germany) 21

Transcranial laser doppler mapping of activation flow coupling of the rat somatosensory cortex
B.M. Ances, J.A. Detre, K. Takahashi, J.H. Greenberg (USA) 25

Formation of granular cytoplasmic aggregates in COS7 cells expressing mutant Cu/Zn superoxide dismutase associated with familial amyotrophic lateral sclerosis
T. Koide, S. Igarashi, K. Kikugawa, R. Nakano, T. Inuzuka, M. Yamada, H. Takahashi, S. Tsuji (Japan) 29

Removal of superficial inhibition releases hyperexcitability in middle and deep horizontal slices from rat somatosensory neocortex
L. Yang, L.S. Benardo (USA) 33

Differential distribution of alternatively spliced somatostatin receptor 2 isoforms (sst_{2A} and sst_{2B}) in rat spinal cord
S. Schulz, H. Schmidt, M. Händel, M. Schreff, V. Höllt (Germany) 37

Theta synchronization in the human EEG and episodic retrieval
M. Doppelmayr, W. Klimesch, J. Schwaiger, P. Auinger, T. Winkler (Austria) 41

Association between polymorphisms in the type 1 sigma receptor gene and schizophrenia
H. Ishiguro, T. Ohtsuki, M. Toru, M. Itokawa, J. Aoki, H. Shibuya, A. Kurumaji, Y. Okubo, A. Iwawaki, K. Ota, H. Shimizu, H. Hamaguchi, T. Arinami (Japan) 45

A novel *Drosophila* paired-like homeobox gene related to *Caenorhabditis elegans unc-4* is expressed in subsets of postmitotic neurons and epidermal cells
K. Tabuchi, S. Yoshikawa, Y. Yuasa, K. Sawamoto, H. Okano (Japan) 49

Chronic elevation of amyloid precursor protein expression in the neocortex and hippocampus of rats with selective cholinergic lesions
G. Leanza (Italy) 53

Glibenclamide, an antagonist of ATP sensitive K^+ channels, blocks free radical generation in the rat myocardium
T. Obata, Y. Yamanaka (Japan) 57

Volume 257, no. 2

Transplantation of fetal brain tissue into the site of intracerebral hemorrhage in rats
M. Altumbabic, M.R. Del Bigio (Canada) 61

Reduced tyrosine kinase receptor C mRNA levels in the frontal cortex of patients with schizophrenia
M. Schramm, P. Falkai, N. Feldmann, M.B. Knable, T.A. Bayer (Germany, USA) 65

Temporal integration in a subjective accentuation task as a function of child cognitive development
E. Szelag, J. Kowalska, K. Rymarczyk, E. Pöppel (Poland, Germany) 69

Prediction of migraine attacks using a slow cortical potential, the contingent negative variation
P. Kropp, W.-D. Gerber (Germany) 73

Soluble Alzheimers β-amyloid constricts the cerebral vasculature in vivo
Z. Suo, J. Humphrey, A. Kundtz, F. Sethi, A. Placzek, F. Crawford, M. Mullan (USA) 77

Excitotoxic effect of kainic acid on chicken cochlear afferent neurons
M. Shero, R.J. Salvi, L. Chen, E. Hashino (USA) 81

ELSEVIER

Neuroscience Letters 257 (1998) 174–175

Neuroscience Letters

Contents to Volume 257

Volume 257, no. 1

Guidelines for the submission of manuscripts v

Recovery of high potassium-evoked dopamine release after depolarization challenge in the striatum of young and old male rats
H.-A. Shui, Y.-I. Peng, Y.-F. Tsai (Taiwan) 1

Activity of tachykinin NK_1 and bradykinin B_2 receptor antagonists, and an opioid ligand at different stimulation parameters in neurogenic inflammation in the rat
P.K. Towler, S.D. Brain (UK) 5

The onset of diffuse noxious inhibitory controls in postnatal rat pups: a C-Fos study
T. Boucher, E. Jennings, M. Fitzgerald (UK) 9

Anticonvulsant effects of melatonin in amygdala-kindled rats
M. Mevissen, U. Ebert (Germany) 13

1-Trichloromethyl-1,2,3,4-tetrahydro-β-carboline increases extracellular serotonin and stimulates hydroxyl radical production in rats
M. Gerlach, A.-Y. Xiao, C. Heim, J. Lan, R. God, D. Feineis, G. Bringmann, P. Riederer, K.-H. Sontag (Germany) 17

Relationship between neuronal activity and substance P-immunoreactivity in the rat spinal cord during acute and persistent myositis
U. Hoheisel, A. Kaske, S. Mense (Germany) 21

Transcranial laser doppler mapping of activation flow coupling of the rat somatosensory cortex
B.M. Ances, J.A. Detre, K. Takahashi, J.H. Greenberg (USA) 25

Formation of granular cytoplasmic aggregates in COS7 cells expressing mutant Cu/Zn superoxide dismutase associated with familial amyotrophic lateral sclerosis
T. Koide, S. Igarashi, K. Kikugawa, R. Nakano, T. Inuzuka, M. Yamada, H. Takahashi, S. Tsuji (Japan) 29

Removal of superficial inhibition releases hyperexcitability in middle and deep horizontal slices from rat somatosensory neocortex
L. Yang, L.S. Benardo (USA) 33

Differential distribution of alternatively spliced somatostatin receptor 2 isoforms (sst_{2A} and sst_{2B}) in rat spinal cord
S. Schulz, H. Schmidt, M. Händel, M. Schreff, V. Höllt (Germany) 37

Theta synchronization in the human EEG and episodic retrieval
M. Doppelmayr, W. Klimesch, J. Schwaiger, P. Auinger, T. Winkler (Austria) 41

Association between polymorphisms in the type 1 sigma receptor gene and schizophrenia
H. Ishiguro, T. Ohtsuki, M. Toru, M. Itokawa, J. Aoki, H. Shibuya, A. Kurumaji, Y. Okubo, A. Iwawaki, K. Ota, H. Shimizu, H. Hamaguchi, T. Arinami (Japan) 45

A novel *Drosophila* paired-like homeobox gene related to *Caenorhabditis elegans unc-4* is expressed in subsets of postmitotic neurons and epidermal cells
K. Tabuchi, S. Yoshikawa, Y. Yuasa, K. Sawamoto, H. Okano (Japan) 49

Chronic elevation of amyloid precursor protein expression in the neocortex and hippocampus of rats with selective cholinergic lesions
G. Leanza (Italy) 53

Glibenclamide, an antagonist of ATP sensitive K^+ channels, blocks free radical generation in the rat myocardium
T. Obata, Y. Yamanaka (Japan) 57

Volume 257, no. 2

Transplantation of fetal brain tissue into the site of intracerebral hemorrhage in rats
M. Altumbabic, M.R. Del Bigio (Canada) 61

Reduced tyrosine kinase receptor C mRNA levels in the frontal cortex of patients with schizophrenia
M. Schramm, P. Falkai, N. Feldmann, M.B. Knable, T.A. Bayer (Germany, USA) 65

Temporal integration in a subjective accentuation task as a function of child cognitive development
E. Szelag, J. Kowalska, K. Rymarczyk, E. Pöppel (Poland, Germany) 69

Prediction of migraine attacks using a slow cortical potential, the contingent negative variation
P. Kropp, W.-D. Gerber (Germany) 73

Soluble Alzheimers β-amyloid constricts the cerebral vasculature in vivo
Z. Suo, J. Humphrey, A. Kundtz, F. Sethi, A. Placzek, F. Crawford, M. Mullan (USA) 77

Excitotoxic effect of kainic acid on chicken cochlear afferent neurons
M. Shero, R.J. Salvi, L. Chen, E. Hashino (USA) 81

Brain-derived neurotrophic factor does not prevent ionizing radiation-induced apoptosis in the developing rat brain
I. Ferrer, E. Goutan, E. Martí, E. Arenas (Spain, Sweden) 85
Immunosuppressive effect of Vestibulo-cerebellar lesion in rats
D. Ghoshal, S. Sinha, A. Sinha, P. Bhattacharyya (India) 89
Phospholipases as mediators of amyloid beta peptide neurotoxicity: an early event contributing to neurodegeneration characteristic of Alzheimer's disease
J.N. Kanfer, G. Sorrentino, D.S. Sitar (Canada, Italy) 93
Localization of a novel inositol 1,4,5-trisphosphate binding protein, p130 in rat brain
M. Matsuda, T. Kanematsu, H. Takeuchi, T. Kukita, M. Hirata (Japan) 97
Frequency and synchrony of tetanically-induced, gamma-frequency population discharges in the rat hippocampal slice: the effect of diazepam and propofol
J.E. Fox, J.G.R. Jefferys (UK) 101
Temporal profile of magnetic resonance imaging changes following forebrain ischemia in the gerbil
H. Lei, P. Dooley, J. Peeling, D. Corbett (Canada) 105
Mechanisms of fatigue-induced activation of group IV muscle afferents: the roles played by lactic acid and inflammatory mediators
J. L. Darques, P. Decherchi, Y. Jammes (France) 109
The expression of late infantile neuronal ceroid lipofuscinosis (CLN2) gene product in human brains
A. Oka, Y. Kurachi, M. Mizuguchi, M. Hayashi, S. Takashima (Japan) 113
Antiphospholipid antibodies bind to rat cerebellar granule cells: the role of *N*-methyl-D-aspartate receptors
A. Riccio, C. Andreassi, M.L. Eboli (Italy) 116

Volume 257, no. 3

Cannabinoid modulation of wide dynamic range neurons in the lumbar dorsal horn of the rat by spinally administered WIN55,212-2
A.G. Hohmann, K. Tsou, J.M. Walker (USA) 119
Inhibition of prostanoid synthesis protects against neuronal damage induced by focal ischemia in rat brain
C. Buccellati, G.C. Folco, A. Sala, R. Scelsi, E. Masoero, P. Poggi, S. Govoni, L. Favalli, A. Rozza (Italy) 123
Immunocytochemical evidence for a distinct GFAP-negative subpopulation of astrocytes in the adult rat hippocampus
W. Walz, M.K. Lang (Canada) 127
Concurrent activation of hippocampal glycine and polyamine sites of the *N*-methyl-D-aspartate receptor synergistically reverses working memory deficits in rats
A. Kishi, M. Ohno, S. Watanabe (Japan) 131
Effect of infusion of vasoactive intestinal peptide (VIP)-antisense oligodeoxynucleotide into the third cerebral ventricle above the hypothalamic suprachiasmatic nucleus on the hyperglycemia caused by intracranial injection of 2-deoxy-D-glucose in rats
S.-j. Chun, A. Niijima, T. Shima, M. Okada, K. Nagai (Japan) 135
Evaluation of anesthetic effects on parameters for the in situ rat brain perfusion technique
C.H. Rousselle, J.-M. Lefauconnier, D.D. Allen (France, USA) 139
Different systems in human brain are involved in presemantic discrimination of pictures as revealed by event-related potentials
Y. Wang, X. Tang, J. Kong, D. Zhuang, S. Li (People's Republic of China) 143
Localization of nitric oxide-synthesizing neurons sending projections to the dorsal raphe nucleus of the rat
L. Léger, N. Gay, S. Burlet, Y. Charnay, R. Cespuglio (France, Switzerland) 147
Both medial prefrontal and amygdala central nucleus lesions abolish heart rate classical conditioning, but only prefrontal lesions impair reversal of eyeblink differential conditioning
M. Chachich, D.A. Powell (USA) 151
Brief exposure of mice to 60 Hz magnetic fields reduces the analgesic effects of the neuroactive steroid, 3α-hydroxy-4-pregnen-20-one
M. Kavaliers, J.P. Wiebe, K.-P. Ossenkopp (Canada) 155
The non-competitive *N*-methyl-D-aspartate-antagonist memantine does not affect segmental mono- and polysynaptic reflexes in man
K. Schepelmann, M.M. Schugens, P.A. Löschmann, T. Klockgether, J. Dichgans (Germany) 159
D-2-Amino-5-phosphonovalerate, an NMDA receptor antagonist, blocks induction of associative long-term potentiation of the flexion reflex in spinal cat
R.G. Durkovic, L.J. Prokowich (USA) 162
Up-regulation of glial cell line-derived neurotrophic factor (GDNF) expression in regenerating muscle fibers in neuromuscular diseases
H. Suzuki, A. Hase, B.Y. Kim, Y. Miyata, I. Nonaka, K. Arahata, C. Akazawa (Japan) 165
Insulin-like growth factor system in serum and cerebrospinal fluid in patients with multiple sclerosis
N. Wilczak, M. Schaaf, R. Bredewold, C. Streefland, A. Teelken, J. De Keyser (The Netherlands) 168

Author Index to Volume 257 171
Contents to Volume 257 174